

PROJECT _____

WIDTH _____

QUANTITY _____

1 FUME HOOD AIRFLOW

- Constant Air Volume (CAV)
- Variable Air Volume (VAV)

2 FUME HOOD TYPE

- General Chemistry
- Accessible - ADA

3 SASH TYPE

- Vertical Rising
- Combination

4 LINER MATERIAL

- Polyresin (PR)
- S/S All Welded T316 (SW6)
- S/S Stitch Welded T316 (ST6)
- S/S All Welded T304 (SW4)
- S/S Stitch Welded T304 (ST4)
- Other

Refer to page 12 of the catalog
for liner material description.

- Ceiling Closure Panels
- Blower Switch (Wiring NIC)
- Sash Stop at 18"

Mechanical Services

Cup Sink

- 6"x3" Polyethylene
- 6"x3" T316 Stainless Steel

Base Cabinets Left Side

- Acid Storage*
- Flammable Storage*
- General Storage*

Additional Options



Pre-piping

- Above the hood
- Below the hood

Low Air Flow Alarm

- AFA500 (CAV Only)
- AFA1000 (CAV Only)
- AFA4000 (CAV Only)

Mechanical Services

Cup Sink

- 6"x3" Polyethylene
- 6"x3" T316 Stainless Steel

Work Surface

- Epoxy
- Stainless Steel, T316

Base Cabinets Right Side

- Acid Storage*
- Flammable Storage*
- General Storage*
- Table Frame - Fixed Height*

Additional Options
