

PROJECT _____

WIDTH _____

QUANTITY _____

1 FUME HOOD AIRFLOW

- Constant Air Volume

2 FUME HOOD TYPE

- Pass Through (Double Sided)

3 LINER MATERIAL

- Polyresin (PR)

Refer to page 04 of the catalog
for liner material description.

Pre-piping

- Above the hood
- Below the hood

Low Air Flow Alarm

- (Both Faces of Hood)
- (One Face of Hood Only)
 - AFA500
 - AFA1000

Mechanical Services Operated From

- (Both Faces of Hood)
- (One Face of Hood Only)

Cup Sink

- 6"x3" Polyethylene
- 6"x3" T316 Stainless Steel

Sash Stop at 18"

Base Cabinets Left Side

- Acid Storage
- Flammable Storage
- Standard Storage
- Table Frame

Additional Options



Ceiling Closure Panels

Blower Switch (Wiring NIC)

- (Both Faces of Hood)
- (One Face of Hood Only)

Mechanical Services Operated From

- (Both Faces of Hood)
- (One Face of Hood Only)

Cup Sink

- 6"x3" Polyethylene
- 6"x3" T316 Stainless Steel

Keyed Sash Locks

- (One Face of Hood Only)

Work Surface

- Epoxy
- Stainless Steel, T316

Base Cabinets Right Side

- Acid Storage
- Flammable Storage
- Standard Storage
- Table Frame
- Extended Depth Back Panels